



B TYPE, BH TYPE

VOLTMETER • AMMETER SWITCH

HOW TO ORDER

B-V3-HDP-B JUMPER

Code	Switch	Type	Handle code	Color of handle / flange	Code	Jumper
B	B type	(page A27 to 30)	(page A6)		(Blank)	No jumper
BH	BH type				JUMPER	With jumper

• The mark " " shows a jumper.

STANDARD ARRANGEMENT DIAGRAM

Notice: Jumpers are not standard accessory.





If it's necessary, please instruct "with jumper".

a) For voltmeter (standard handle: HDP)





Type V3 Nameplate No. 54-753 (E)	3-phase, 3-wire, 2-PT
Type V2 Nameplate No. 54-490 (E)	3-phase, 3-wire, 2-PT
Type NV4 Nameplate No. 54-752	3-phase, 3-wire, 3-PT
Type NV3 Nameplate No. 54-751	3-phase, 3-wire, 3-PT
Type NV2E Nameplate No. 54-558	3-phase, 4-wire, 3-PT

* If added "E" to the end of nameplate number, the nameplate in English shall be attached. For further details, please see page A51 to A52 for nameplate.
 Ex) 54-753 : Japanese 54-753E : English

a) For voltmeter (standard handle: HDP)

Type V2E  Nameplate No. 54-557 (E)	3-phase, 3-wire, 2-PT 
Type V5W  Nameplate No. 54-850 (E)	3-phase, 4-wire, 3-PT 
Type V4O-2 	single 3-wire, 2-PT 

b) For ammeter (standard handle: HDP)

Type A2  Nameplate No. 54-755 (E)	3-phase, 3-wire, 2-CT 
Type C2  Nameplate No. 54-495 (E)	3-phase, 3-wire, 2-CT 
Type A4  Nameplate No. 54-755 (E)	3-phase, 3-wire, 3-CT 








* For details of nameplates, see A51 to A52 and subsequent pages.









B TYPE, BH TYPE

STANDARD ARRANGEMENT DIAGRAM

b) For ammeter (standard handle: HDP)

Type C4  Nameplate No. 54-495 (E)	3-phase, 3-wire, 3-CT 
Type A6  Nameplate No. 54-755 (E)	3-phase, 3-wire, 3-CT (when differential relay is used) 
Type C6  Nameplate No. 54-495 (E)	3-phase, 3-wire, 3-CT (when differential relay is used) 
Type C2E  Nameplate No. 54-555 (E)	3-phase, 3-wire, 2-CT 
Type C2H 	for change ratio of current transformation Jumper 
Type C3E  Nameplate No. 54-556 (E)	3-phase, 4-wire, 3-CT 
Type C3HT 	for change ratio of current transformation 

* If added "E" to the end of nameplate number, the nameplate in English shall be attached. For further details, please see page A51 to A52 for nameplate.
Ex) 54-753 : Japanese 54-753E : English

TypeC4E  Nameplate No. 54-555 (E)	3-phase, 3-wire, 3-CT 
TypeC3HA 	single-phase, 2-line 
TypeC5E  Nameplate No. 54-555 (E)	3-phase, 3-wire, 2-CT 
TypeC6E  Nameplate No. 54-556 (E)	3-phase, 4-wire, 3-CT 
TypeC7E  Nameplate No. 54-556 (E)	3-phase, 4-wire, 3-CT 
TypeC80-2 	single 3-wire, 2-CT 

* For details of nameplates, see A51 to A52 and subsequent pages.